

	Type	Ref #	Hits	Search Text
<b>1</b>	BRS	S1	2	"20040247163"
<b>2</b>	BRS	S2	972	382/124.ccls.
<b>3</b>	BRS	S3	319	S2 and capacit\$5
<b>4</b>	BRS	S4	300	324/686.ccls.
<b>5</b>	BRS	S5	9	S4 and ((finger adj print) or fingerprint)
<b>6</b>	BRS	S6	472	324/658.ccls.
<b>7</b>	BRS	S7	5	S6 and ((finger adj print) or fingerprint)
<b>8</b>	BRS	S8	135	(324/76.66).ccls.
<b>9</b>	BRS	S10	3	"11118415"
<b>10</b>	BRS	S12	3	"2000346608"
<b>11</b>	BRS	S14	2	"2001133213"
<b>12</b>	BRS	S15	3	"2003254706"
<b>13</b>	BRS	S16	2	"2000346610"
<b>14</b>	BRS	S17	2	"11312811"
<b>15</b>	BRS	S18	184	(382/115-116).ccls. and capacit\$5
<b>16</b>	BRS	S19	22	(382/108).ccls. and capacit\$5
<b>17</b>	BRS	S20	2	"20040247163"
<b>18</b>	BRS	S21	1	S20 and ((pre adj charg\$3) or precharg\$3 or charg\$3)
<b>19</b>	BRS	S22	184	(382/115-116).ccls. and capacit\$5
<b>20</b>	BRS	S23	22	(382/108).ccls. and capacit\$5
<b>21</b>	BRS	S24	76	(S22 OR S23) and ((pre adj charg\$3) or precharg\$3 or charg\$3)
<b>22</b>	BRS	S25	4	(S22 OR S23) and ((pre adj charg\$3) or precharg\$3)
<b>23</b>	BRS	S26	0	"2003714710"
<b>24</b>	BRS	S27	2	"20030222659"
<b>25</b>	BRS	S28	4	"6700631"
<b>26</b>	BRS	S29	184	(382/115-116).ccls. and capacit\$5
<b>27</b>	BRS	S30	22	(382/108).ccls. and capacit\$5
<b>28</b>	BRS	S31	171	(S29 OR S30) and select\$4
<b>29</b>	BRS	S32	20	S31 and transistor
<b>30</b>	BRS	S33	44	(324/658-663).ccls. and ((finger adj print) or fingerprint)
<b>31</b>	BRS	S34	43	S33 and capacit\$5
<b>32</b>	BRS	S35	37	(S34) and select\$4
<b>33</b>	BRS	S36	27	S35 and transistor
<b>34</b>	BRS	S37	17	(324/686-690).ccls. and ((finger adj print) or fingerprint)
<b>35</b>	BRS	S38	17	S37 and capacit\$5
<b>36</b>	BRS	S39	15	(S38) and select\$4

	Type	Ref #	Hits	Search Text
<b>37</b>	BRS	S40	11	S39 and transistor
<b>38</b>	BRS	S41	17	(324/686-690).ccls. and ((finger adj print) or fingerprint)
<b>39</b>	BRS	S42	17	S41 and capacit\$5
<b>40</b>	BRS	S43	15	(S42) and select\$4
<b>41</b>	BRS	S44	11	S43 and transistor
<b>42</b>	BRS	S45	0	S44 and (((low NEAR voltage) OR (low NEAR potential)) WITH line)
<b>43</b>	BRS	S46	44	(324/658-663).ccls. and ((finger adj print) or fingerprint)
<b>44</b>	BRS	S47	43	S46 and capacit\$5
<b>45</b>	BRS	S48	37	(S47) and select\$4
<b>46</b>	BRS	S49	27	S48 and transistor
<b>47</b>	BRS	S50	2	S49 and (((low NEAR voltage) OR (low NEAR potential)) WITH line)
<b>48</b>	BRS	S51	184	(382/115-116).ccls. and capacit\$5
<b>49</b>	BRS	S52	22	(382/108).ccls. and capacit\$5
<b>50</b>	BRS	S53	171	(S51 OR S52) and select\$4
<b>51</b>	BRS	S54	20	S53 and transistor
<b>52</b>	BRS	S55	0	S54 and (((low NEAR voltage) OR (low NEAR potential)) WITH line)
<b>53</b>	BRS	S56	1030	382/124.ccls.
<b>54</b>	BRS	S57	348	S56 and capacit\$5
<b>55</b>	BRS	S58	58	S57 and (biometric with authenticat\$4)
<b>56</b>	BRS	S59	58	S57 and (biometric with authenticat\$4) and ((finger adj print) or fingerprint)
<b>57</b>	BRS	S60	184	(382/115-116).ccls. and capacit\$5
<b>58</b>	BRS	S61	22	(382/108).ccls. and capacit\$5
<b>59</b>	BRS	S62	53	(S60 OR S61) and (biometric with authenticat\$4) and ((finger adj print) or fingerprint)
<b>60</b>	BRS	S63	44	(324/658-663).ccls. and ((finger adj print) or fingerprint)
<b>61</b>	BRS	S64	17	(324/686-690).ccls. and ((finger adj print) or fingerprint)
<b>62</b>	BRS	S65	12	(S63 OR S64) and (biometric with authenticat\$4) and ((finger adj print) or fingerprint)
<b>63</b>	BRS	S66	2	"20040247163"
<b>64</b>	BRS	S67	76	382/124.ccls. and (scan\$4 near line)

	Type	Ref #	Hits	Search Text
<b>65</b>	BRS	S68	1	"20040247163" and (reference adj capacitance).clm.
<b>66</b>	BRS	S69	0	"20040247163" and (scan).clm.
<b>67</b>	BRS	S70	2	"20040247163" and (scan adj line)
<b>68</b>	BRS	S71	1	"20040247163" and (scan adj line) and (reference adj capacitance)
<b>69</b>	BRS	S73	5	382/124.ccls. and (scan\$4 near line) and (reference near3 capacit\$5)
<b>70</b>	BRS	S74	2	382/124.ccls. and (scan\$4 near line) and (reference adj capacit\$5)
<b>71</b>	BRS	S75	0	382/115-116.ccls. and (scan\$4 near line) and (reference adj capacit\$5)
<b>72</b>	BRS	S76	2	382/115-126.ccls. and (scan\$4 near line) and (reference adj capacit\$5)
<b>73</b>	BRS	S77	4	(scan adj line) and (reference adj capacitance)
<b>74</b>	BRS	S78	23	(scan adj line) and (reference adj capacit\$5)
<b>75</b>	BRS	S79	6	"6320394" and (scan\$4 near line)

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	0	((detect\$5 or measur\$5) and capacit\$5 and (reference near capacit\$5) and (scan near line) and amplif\$7).clm.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/12/20 10:36
2	BRS	L3	23	((detect\$5 or measur\$5) and capacit\$5 and (reference near capacit\$5) and (line) and amplif\$7).clm.	US- PGPUB	2005/12/20 10:36
3	BRS	L5	0	L3 and (324/686-690).ccls.	US- PGPUB	2005/12/20 10:37
4	BRS	L6	2	L3 and (382/115-126).ccls.	US- PGPUB	2005/12/20 10:37